



ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 241114 023-03
Date Reported: 11/25/2024
Date(s) Tested: 11/14/2024 - 11/25/2024

Sample Details

Product #: 13072
Description: Magnesium Glycinate
Lot #: MGL241026
Received: 11/14/2024 2:03:41 PM

Customer Information

Vox Nutrition
8224 Industry Cir
West Jordan, UT 84088

Sample Details: Exp: 10/2027

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232> ¥	< 1.5	0.005	ppm
Cadmium	USP <2232> ¥	< 0.5	< 0.001	ppm
Lead	USP <2232> ¥	< 0.5	0.003	ppm
Mercury	USP <2232> ¥	< 1.5	< 0.001	ppm
Minerals				
Magnesium	WI.ICP.409 ¥	> 91.7	107.034	mg/serving
Physical				
Serving Size	SNL.MA.210		1.000	Capsule
Average Net Fill Weight	Calculated Sample Weight		926.00	mg

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified ¥	< 1000	<1000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm ¥	< 1000	<10	cfu/g
E.coli	PCR ¥	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR ¥	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR ¥	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified ¥	< 100	<100	cfu/g

Report Approved by:

Joel Nelson
Laboratory Manager

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.